



EQUIPMENT FOR
**INDUSTRIAL
OPERATIONS**


**SPECIAL
OFFER
1. 9.-31. 10.**



export@mevatec.cz



- › 120 YEARS OF TRADITION
- › CZECH MANUFACTURER
- › SHORT DELIVERY TIMES
- › FLEXIBLE RESPONSE
TO WISHES AND NEEDS



CONTAINERS FOR MUNICIPAL WASTE



Metal dustbins 110 and 70 l

- › Used for municipal waste collection.
- › Using coloured lids of the dustbins can be used even for sorted waste.
- › Made of galvanized sheet metal resistant to the waste of high temperatures.

Type: 1008



110 l



Ø 550 × 870 mm



13,5 kg



44 kg

Type: 1002



70 l



Ø 550 × 578 mm



11,5 kg



44 kg

Variants of 110 l bins with coloured lids/type:



1008-1



1008-2



1008-6



1008-4



Metal bins 120 and 240 l

- › Hot-dip galvanized steel structure with high corrosion resistance.
- › Hinged lid and wheels with 200 mm diameter.
- › Suitable mainly for industry for oil-polluted, hot or heavy waste collection!

Type: 7624



240 l



600 × 740 × 1060 mm



37 kg



96 kg

Type: 7623



120 l



460 × 568 × 920 mm



30 kg



48 kg



CONTAINERS



Tilting container

- › Suitable for collection, handling and sorting of domestic and industrial waste.
- › Resistance against mechanical wear is increased by pressed recesses.
- › Other alternatives are possible on request - lid colours, brakes, adjustment for handling by fork-lift.

Type: 1100VP



1100 l



1370 × 1080 × 1310 mm



110–130 kg



440 kg



Mesh container

- › Hot-dip galvanized structure.
- › Bottom and back wall is full, other walls are meshed.
- › The container is equipped with pins for emptying by tipping on side walls.
- › The container is equipped with integrated adapters for handling by the fork-lift truck.
- › Equipped with 4 swivel castors, two castors are equipped with a brake.
- › The container has a board for marking.

Type: 7799



1700 l



1076 × 642 × 1375 mm




121 kg



700 kg

METAL TRAPPING FLOORS WITH GRATE

- › They are used mainly during storing of petroleum products and oils; they prevent substance leakage and environment pollution.
- › Each grate fields of 1200 × 800 mm size can be composed as necessary.
- › Each grate is inserted into tight trapping tub.
- › Varnished or hot-dip galvanized with a grate.



Trapping floor consisting of grate field

- › It is possible to assemble any field of size 1450 × 750 mm.
- › Each grate is inserted into tight trapping floor.
- › Trapping floor can be equipped with galvanized ramp.
- › Trapping floor is varnished, grate and ramp is galvanized.

Type: **6080**




1450 × 750 mm

Ramp

Type: **6081**



745 × 475 × 32 mm



Varnished with galvanized grate

Type: **7560**




33 l



1200 × 800 × 35 mm



44 kg



Hot-dip galvanized with galvanized grate

- › Can be equipped with a ramp from the long side or the short side.

Type: **7560-Z**




33 l



1200 × 800 × 35 mm




44 kg





METAL TRAPPING FLOOR WITH GRATE

Ramp on the long side

Type: **7561-L**


 1200 × 475 × 35 mm


 14 kg




Ramp on the short side

Type: **7561-S**

 800 × 475 × 35 mm

 9,5 kg




Connecting sets

› Secures fixed connection of two trapping floors.

Connection on the long side


Type: **7560-L**


 1180 × 20 mm



Connection in corners


Type: **7560-K**


 20 × 20 mm



Connection on the short side

Type: **7560-S**

 780 × 20 mm



TRAPPING TUBS


Trapping tubs with a grate for storing of 2 × 200 l drums

- › Version with grate eases handling of drums.
- › Varnished or hot-dip galvanized with a grate.

Type: **1260 / varnished**

Type: **1260-Z / galvanized**

 220 l

 1200 × 800 × 250/350 mm





Trapping tubs without a grate for storing of 2 × 200 l drums

- › Also suitable for storing of smaller containers.
- › Varnished or hot-dip galvanized.

Type: **5206 / varnished**

Type: **5206-Z / galvanized**

 220 l

 1200 × 800 × 250/350 mm




Mobile trapping tubs

- › Equipped with heavy duty castors – two are fixed and two are swivel with brake with 125 mm diameter.
- › Handling eases handle of the catching tub.
- › Varnished or hot-dip galvanized with a grate.

Type: **6075 / varnished**

Type: **6075-Z / galvanized**

 220 l

 1200 × 800 × 250/405/1200 mm




TRAPPING TUBS

Trapping tubs with a grate for storing of 4 × 200 l drums

- › Version with grate eases handling of drums.
- › Varnished or hot-dip galvanized with a grate.

Type: **6077 / varnished**

Type: **6077-Z / galvanized**

 220 l

 1200 × 1200 × 160/260 mm





Trapping tubs without a grate for storing of 4 × 200 l drums

- › Also suitable for storing of smaller containers.
- › Varnished or hot-dip galvanized.

Type: **1262 / varnished**

Type: **1262-Z / galvanized**

 220 l

 1200 × 1200 × 160/260 mm





Trapping tubs with a grate for storing of 4 × 200 l drums

- › Version with grate eases handling of drums.
- › Varnished or hot-dip galvanized with a grate.

Type: **6076 / varnished**

Type: **6076-Z / galvanized**

 270 l

 2500 × 800 × 150/250 mm



TRAPPING TUBS

Steel trapping tubs 1000 l


- › Tested for tightness according to EN standard.
- › Suitable for storing of containers up to 1000 l of capacity. (trapping capacity of the tub is minimally 1000 l.)
- › Variants for 1 or 2 containers.
- › Variant with a stand also suitable as a filling station.
- › Varnished or hot-dip galvanized with a grate.



Type: **3594 / varnished**

Type: **3594-Z / galvanized**

 1000 l

 2300 × 1500 × 400 mm

Trapping tub of 1000 l capacity can also serve for storing of two 1000 litre containers.



Type: **6079 / varnished**

Type: **6079-Z / galvanized**

 1000 l


 1200 × 1500 × 950 mm



Type: **3595 / varnished**

Type: **3595-Z / galvanized**

 1000 l


 2300 × 1500 × 650 mm



Type: **3593 / varnished**

Type: **3593-Z / galvanized**

 1000 l

 1200 × 1500 × 700 mm

TRAPPING TUBS



Covered trapping tubs

- › Tested for tightness according to EN standard.
- › Suitable for safe and regulation storage of water endangering liquids.
- › Double-wing doors and full-open lid makes access to storage containers easier.
- › Internal hot-dip galvanized grate and is equipped with a cylindrical lock.

Type: 5145



1430 × 880 × 1550 mm

TIPPING CONTAINERS

- › Robust tipping mechanism ensures its long service life.
- › Tipping process is carried out from the driver's place in a fork-lift truck by a cable.
- › Standard colour of surface finishing is blue. Can also be delivered in other RAL shades or in galvanized version on request.
- › Containers will find use for various wastes or semi-finished products such as leftovers of sheet metals, sections or shavings. They are also suitable for material polluted by oils and emulsion or for loose and paste like materials.



Colour variations on request:



Tipping container system



Easy and safe control from the driver's place.




Tipping locking device.



Safety locks.

Tipping container "PROFI"

- › Basic and best-selling version of container.



Dimensions (A × B × C)
X = skids distance
 Height (C) is determined without wheels.

Wheels for containers

- › Wheels can be ordered for containers, 2× swivel with brake, 2× fixed.



POLYAMIDE

- › Suitable for smooth surfaces.

RUBBER

- › Suitable for uneven surfaces.

Type:	6369	6359	6587	6581
	300 kg	300 kg	400 kg	400 kg






Type:	6502	6503	6504	6505
	600 l	900 l	1200 l	1700 l
	1650 × 1060 × 815 mm	1650 × 1570 × 815 mm	2210 × 1060 × 1090 mm	2210 × 1570 × 1090 mm
	800 mm	800 mm	800 mm	800 mm
	175 kg	200 kg	250 kg	280 kg
	800 kg	1000 kg	1200 kg	1200 kg


TIPPING AND STORAGE CONTAINERS

Tipping container with automatic emptying

- › Innovative design of tipping containers.
- › Equipped with an impact platform which works as a button to activate the automatic tilt.
- › The container is also equipped with a lever for manual emptying.
- › With tilting gear mechanism.

Type: 8076




	600 l
	1490 × 860 × 850 mm
	420 mm
	104 kg
	800 kg



Container for fluorescent tubes

- › Designed for storage and transport of used fluorescent lamps and discharge tubes.
- › Stackable in four layers. Can be handled by a fork-lift truck or by crane.
- › Surface finishing by varnishing.

Type: 0059

	640 l
	1600 × 500 × 800 mm
	60 kg

